



# BEARINGS IMPORTED AND EXPORTED CO.,LTD.



15 mm x 28 mm x 7 mm KOYO 6902 deep groove ball bearings

Bearing No. 6902

6902 Bearing 2D drawings and 3D CAD models

Size	15x28x7 mm
Bore Diameter	15 mm
Outer Diameter	28 mm
Width	7 mm
d	15 mm
D	28 mm
B	7 mm
C	7 mm
r min.	0,3 mm
da min.	17 mm
Da max.	26 mm
ra max.	0,3 mm
Weight	0,017 Kg
Basic dynamic load rating (C)	4,3 kN
Basic static load rating (C0)	2,25 kN
(Grease) Lubrication Speed	26000 r/min
(Oil) Lubrication Speed	30000 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.016
EAN	0605790085871
Product Group	B00308
Enclosure	Open



## BEARINGS IMPORTED AND EXPORTED CO.,LTD.

Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	15MM Bore; 28MM Outside Diameter; 7MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	<a href="http://www.koyousa.com">http://www.koyousa.com</a>
Manufacturer Item Number	6902
Weight / LBS	0.036
Bore	0.591 Inch   15 Millimeter
Outside Diameter	1.102 Inch   28 Millimeter
Outer Race Width	0.276 Inch   7 Millimeter
Bearing No.	6902
r(min)	0.3
Cr	5.40
C0r	2.25
Cu	0.120
f0	14.3
Grease lub.	26000



## BEARINGS IMPORTED AND EXPORTED CO.,LTD.

Oil lub.	30000
da(min)	17
Da(max)	26
ra(max)	0.3
(Refer.)Mass(kg)	0.017