



**65 mm x 120 mm x 23 mm NSK 6213DDU
deep groove ball bearings**

Bearing No. 6213DDU

6213DDU Bearing 2D drawings and 3D CAD models

Size	65x120x23 mm
Bore Diameter	65 mm
Outer Diameter	120 mm
Width	23 mm
d	65 mm
D	120 mm
B	23 mm
C	23 mm
r min.	1,5 mm
da min.	73 mm
da max	80 mm
Da max.	112 mm
ra max.	1,5 mm
Weight	1 Kg
Basic dynamic load rating (C)	57,5 kN
Basic static load rating (C0)	40 kN
(Grease) Lubrication Speed	3 600 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	1.007
EAN	0029176064609
Product Group	B00308
Enclosure	2 Seals



BEARINGS IMPORTED AND EXPORTED CO.,LTD.

Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Contact Seal
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	65MM Bore; 120MM Outside Diameter; 23MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage;
Other Features	Deep Groove Rubber Seal
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.nskamericas.com
Manufacturer Item Number	6213DDU
Weight / LBS	2.205
Bore	2.559 Inch 65 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Outer Race Width	0.906 Inch 23 Millimeter
Outside Diameter	4.724 Inch 120 Millimeter
SRI	8.63
hidYobi	6213DDU



BEARINGS IMPORTED AND EXPORTED CO.,LTD.

LangID	1
D_	120
SREX	0.03
B_	23
da min	73
hidTable	ecat_NS RDGB
SRE	8.63
mass	1
GRS rpm	3600
ra	1.5
SRIX	0.03
D_a	112
SRIN	-0.03
C0	40
fo	14.4
SREN	-0.03
DE_	109.169
Prod_Type3	DGBB_SR_DD
DA_	16.669
bomp	0
Z_	10
yobi	6213DDU
C_conv	57500
ALPHA_	0
SDM_	92.5
r	1.5
KBRG	6161
SBRG	2
DI_	75.831